



中国国家强制性产品认证证书

证书编号: 2004010907138075

申请人名称及地址

明纬企业股份有限公司
台湾台北县五股工业区五权三路28号

商标: MW

制造商名称及地址

明纬企业股份有限公司
台湾台北县五股工业区五权三路28号

生产企业名称及地址

东莞清溪九乡扬益五金电子厂
广东省东莞市清溪镇九乡金竹工业区

产品名称和系列、规格、型号

电源适配器

ES18xyy-zzz (x=A or C, 表示不同规格的器具输入插座; yy=03, 05, 07, 09, 12, 15, 18, 24, 30 or 48; zzz=030 to 500); Input: 100-240VAC, 50/60Hz, 0.5A
Output: 具体规格请见附表

产品标准和技术要求

GB4943-2001, GB9254-1998, GB17625.1-2003

上述产品符合强制性产品认证实施规则的要求, 特发此证。

发证日期: 2004年12月24日

本证书的有效性依据发证机构的定期监督获得保持。



主任:

李怀林



中国·北京·朝阳门外大街甲10号 100020 网址: www.cqc.com.cn

A 0172890



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2004010907138075

NAME AND ADDRESS OF THE APPLICANT

Mean Well Enterprises Co., Ltd.
No. 28, Wu-Chuan 3rd Rd., Wu-Ku Ind. Park, Taipei Hsien, Taiwan

TRADE MARK: MW

NAME AND ADDRESS OF THE MANUFACTURER

Mean Well Enterprises Co., Ltd.
No. 28, Wu-Chuan 3rd Rd., Wu-Ku Ind Park, Taipei Hsien, Taiwan

NAME AND ADDRESS OF THE FACTORY

Dong Guan, Qing Xi, Jiu Xiang, Youngyear Hardware Factory
Qing Xi Town, Dong Guan City, Guang Dong, China

NAME, MODEL AND SPECIFICATION

Switching Power Adaptor

ES18xyy-zzz (x=A or C, 表示不同规格的器具输入插座; yy=03, 05, 07, 09, 12, 15, 18, 24, 30 or 48; zzz=030 to 500); Input: 100-240VAC, 50/60Hz, 0.5A
Output: 具体规格请见附表

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB4943-2001, GB9254-1998, GB17625.1-2003

THIS IS TO CERTIFY THAT THE ABOVE MENTIONED PRODUCTS HAVE QUALIFIED FOR
THE REQUIREMENTS OF IMPLEMENTATION RULES FOR COMPULSORY CERTIFICATION

ISSUED DATE: Dec. 24, 2004

THE VALIDITY OF THE CERTIFICATE DEPEND ON THE FOLLOW UP INSPECTION BY THE
CERTIFICATION BODY AT REGULAR INTERVALS



President:

李怀林

Li Huailin



A10 Chaoyangmenwaidajie Beijing 100020 P.R.China <http://www.cqc.com.cn>

A 0172890



附表

中国国家强制性产品认证证书

第1页 共1页

证书编号: 2004010907138075

产品名称: 电源适配器

产品型号规格: ES18xyy-zzz(x=A or C,表示不同规格的器具输入插座;

yy=03, 05, 07, 09, 12, 15, 18, 24, 30 or 48; zzz=030 to 500);

Input: 100-240VAC, 50/60Hz, 0.5A Output: 具体规格请见下

表

Model No.	Input	Output
ES18x03-zzz (zzz=030-050)	100-240VAC, 50/60Hz, 0.5A	3-5VDC, 3.0A max. 9W max.
ES18x05-zzz (zzz=050-060)		5-6VDC, 3.0A max. 15W max.
ES18x07-zzz (zzz=060-080)		6-8VDC, 2.5A max. 15W max.
ES18x09-zzz (zzz=080-110)		8-11VDC, 2.25A max. 18W max.
ES18x12-zzz (zzz=110-130)		11-13VDC, 1.63A max. 18W max.
ES18x15-zzz (zzz=130-160)		13-16VDC, 1.38A max. 18W max.
ES18x18-zzz (zzz=160-210)		16-21VDC, 1.12A max. 18W max.
ES18x24-zzz (zzz=210-270)		21-27VDC, 0.85A max. 18W max.
ES18x30-zzz (zzz=270-330)		27-33VDC, 0.66A max. 18W max.
ES18x48-zzz (zzz=420-500)		42-50VDC, 0.42A max. 18W max.

此附表与证书同时使用有效。



主任:

李怀林

